Northwestern R-I School District Safe Return to In-Person Instruction and Continuity of Services Plan

Considerations and Recommendations for Northwestern R-I Schools

The Northwestern R-I School District, in partnership with the Chariton County Department of Public Health, has developed guidance to support districts and communities in determining their plans and strategies for reopening schools.

This approach is built upon the guidance and recommendations of health officials; it is strongly aligned to the reopening guidelines that have been provided by our state and federal leaders; and it's designed to help districts prioritize the health and safety of students and teachers as they open school buildings and deliver instruction for the 2020-2021 school year.

The Northwestern R-I School District plan focuses heavily on the health and physical requirements necessary for reopening school buildings. The Northwestern R-I School District will continue to provide guidance and recommendations to schools on navigating the academic, social, and emotional effects of the COVID-19 pandemic on students and employees.


Definitions Face Coverings Hand sanitizers should Clean/Disinfect Ensure safe and correct Recommendations regarding **Hand Sanitizer** contain at least 60% alcohol face coverings differ based application of and only used with staff and on the level of community disinfectants and keep older children who can out of reach of children. spread and can be found safely use hand sanitizer. > CDC Guidance throughout this document. Hand soap should be used Information should be for younger children. provided to staff, students, > CDC Guidance and families on proper use, removal, and washing of cloth face coverings. Any policy regarding face coverings should be sensitive to the needs of students and staff with medical issues that make the wearing of a face covering inadvisable. > CDC Guidance

Northwestern R-I School District

LEVEL OF COMMUNITY SPREAD (AS DETERMINED BY STATE AND LOCAL HEALTH OFFICIALS)

Substantial Spread	Minimal/Moderate Spread	Low/No Spread
 Coordinate with local and state DPH health officials Participate in contact tracing efforts and specimen collection efforts as directed by local health officials (to the extent feasible) Schools that are closed, remain closed. Implement distance/remote learning. Close off affected areas and if possible, wait 24 hours before cleaning and disinfecting. Consider ways to accommodate needs of children, teachers/staff, and families at higher risk for severe illness (see <i>Protecting Vulnerable Populations</i> for considerations) For additional guidance on addressing community spread, see the CDC's Considerations for Schools 	 Establish and maintain communication with local and state DPH health officials Participate in contact tracing efforts and specimen collection efforts as directed by local health officials (to the extent feasible) Implement enhanced social distancing measures (see Transitioning, Large Group Gatherings, and Teaching and Learning) Post signage in classrooms, hallways, and entrances to communicate how to stop the spread. COVID-19 symptoms, preventative measures (including staying home when sick), good hygiene, and school/district specific protocols Establish a protocol for students/staff who feel ill/experience symptoms when they come to school (see When a Child, Staff Member, or Visitor Becomes Sick at School) Isolate and deep clean impacted classrooms and spaces Consider ways to accommodate needs of children, teachers/staff, and families at higher risk for severe illness (see Protecting Vulnerable Populations for considerations) Students must be fever free without medication for 72 hours before returning to school Northwestern R-I Schools have the authority and flexibility to close school buildings and utilize distance/remote learning as needed. 	 Establish and maintain communication with local and state DPH health officials Participate in contact tracing efforts and specimen collection efforts as directed by local health officials (if feasible) Post signage in classrooms, hallways, and entrances to communicate how to stop the spread. COVID-19 symptoms, preventative measures (including staying home when sick), good hygiene, and school/district specific protocols Establish a protocol for students/staff who feel ill/experience symptoms when they come to school (see When a Child, Staff Member, or Visitor Becomes Sick at School) Consider ways to accommodate needs of children, teachers/staff, and families at higher risk for severe illness (see Protecting Vulnerable Populations for considerations) Students must be fever free without medication for 24 hours before returning to school

Northwestern R-I Schools Flowchart



Northwestern R-I COVID Plan

Minimal/Moderate

Spread

Level of Community
Spread (as determined
by state and local
health officials)

Substantial Spread

RECOMMENDATIONS RECOMMENDATIONS

Low/No Spread RECOMMENDATIONS

Practicing Prevention



District/School Considerations:

- Use social media and other communications to inform parents, students, and staff about COVID-19 symptoms, preventative measures, good hygiene, and school/district specific protocols
- Encourage COVID-19 testing

CDC Guidance

- How to Protect Yourself and Others
- COVID-19 Symptoms
- COVID-19 and Children
- Communication Tools

District/School Considerations:

- Teach and reinforce good hygiene measures such as handwashing, covering coughs, and face coverings
- Provide hand soap and hand sanitizer with at least 60% alcohol, paper towels, and no-touch trash cans in all bathrooms, classrooms, and frequently trafficked areas
- Post signage in classrooms, hallways, and entrances to communicate how to stop the spread. COVID-19 symptoms, preventative measures (including staying home when sick), good hygiene, and school/district specific protocols.
- Clean/disinfect frequently touched surfaces at least daily and shared objects after each use
- Provide masks and other appropriate PPE to staff
- Allow students and staff to bring hand sanitizer and face masks/coverings to use from home
- Take steps to ensure all water systems and features are safe
- Turn off water fountains and only use automatic bottle filling stations
- Ensure ventilation systems operate properly and increase circulation of outdoor air as much as possible, as long as this does not pose a safety or health risk to students or staff
- Conduct deep cleaning of schools prior to students/staff returning; schedule additional cleanings during weekends or school holidays/breaks

CDC Guidance

- <u>Reopening Guidance for Cleaning and</u> Disinfecting Schools
- Guidance for Reopening Buildings After Prolonged Shutdown

District/School Considerations:

- Teach and reinforce good hygiene measures such as handwashing, covering coughs, and face coverings
- Provide hand soap and hand sanitizer with at least 60% alcohol, paper towels, and no-touch trash cans in all bathrooms, classrooms, and frequently trafficked areas
- Post signage in classrooms, hallways, and entrances to communicate how to stop the spread. COVID-19 symptoms, preventative measures (including staying home when sick), good hygiene, and school/district specific protocols.
- Clean/disinfect frequently touched surfaces at least daily and shared objects after each use
- Allow students and staff to bring hand sanitizer and face masks/coverings to use from home
- Allow staff to wear face masks/covering, and other appropriate PPE as desired
- Take steps to ensure all water systems and features are safe
- Turn off water fountains and only use automatic bottle filling stations
- Ensure ventilation systems operate properly and increase circulation of outdoor air as much as possible, as long as this does not pose a safety or health risk to students or staff
- Conduct deep cleaning of schools prior to students/staff returning; schedule periodic cleanings during weekends or school holidays/breaks (to the extent practicable)

CDC Guidance

- Reopening Guidance for Cleaning and Disinfecting Schools
- Guidance for Reopening Buildings After
 Prolonged Shutdown

Return to School

Roadmap for Facilities

Level of Community Spread (as determined by state and local health officials)
Transporting Students

Substantial Spread

RECOMMENDATIONS

Minimal/Moderate **Spread**

RECOMMENDATIONS

Low/No **Spread**

RECOMMENDATIONS

Students



School buildings are closed; buses used to deliver meals to students and families

District/School Considerations:

Reduce contact by delivering a week's worth of meals during a designated time (ex: delivering a week's worth of meals every Monday)²

²Subject to future USDA meal waiver approval

District/School Considerations:

- Provide hand sanitizer for students and bus drivers
- Provide face masks for bus drivers: allow students to wear face masks/coverings
- Screen students and bus drivers for symptoms of illness and utilize spaced seating (to the extent practicable)
- Eliminate field trips
- Clean and disinfect frequently touched surfaces on the bus at least daily
- Establish protocols for bus stops, loading/unloading students to minimize congregation of children from different households
- Continue to use parent pick up line at the back entrance of high school after school

CDC Guidance

What Bus Operators Need to Know

District/School Considerations:

- Implement standard operating procedures while taking preventative measures such as:
 - Providing hand sanitizer for students and bus drivers
 - Allowing bus drivers and students to wear face masks/coverings
 - Limiting field trips (to areas of limited/low transmission)
 - Inspecting buses prior to students returning and as part of a regular rotation
 - Cleaning and disinfecting frequently touched surfaces on the bus at least
 - Airing out buses when not in use
 - Eliminate Field Trips
- Parents will not be allowed to enter the school to pick up students. There will be a pick up line for parents at the back entrance of the high school (north entrance). Continue to drop off students in front of school in the mornings.

Level of Community
Spread (as determined by
state and local
health officials)

Substantial Spread

RECOMMENDATIONS

Minimal/Moderate Spread

RECOMMENDATIONS

Low/No Spread

RECOMMENDATIONS

Entering School Buildings³



³School Calendars: Local school districts have authority over school calendars – meaning they have full authority to set start and end dates, holidays/breaks, and school hours, provided instructional requirements are met.

School buildings are closed;

districts should require only that essential staff report in-person to carry out functions that are absolutely necessary.

District/School Considerations:

- District/school leaders must remain vigilant and purposeful as they determine roles, responsibilities, and reporting requirements for staff, refraining from blanket reporting requirements
- District/school leaders should leverage virtual tools and platforms wherever possible to conduct essential business and keep inperson reporting to an absolute minimum during school closures

District/School Considerations:

- Post signage in classrooms, hallways, and entrances to communicate how to stop the spread. COVID-19 symptoms, preventative measures (including staying home when sick), good hygiene, and school/district specific protocols.
- Establish a protocol for students/staff who feel ill/experience symptoms when they come to school (see When a Child, Staff Member, or Visitor Becomes Sick at School)
- Mark spaced lines to enter the building and designate entrance and exit flow paths
- Screen students and staff (to the extent practicable):
 - Visual check for symptoms and temperature scan if needed
 - o Isolate and send home if internal temperature over 100.4°F (38°C)
 - Consider safety and privacy concerns (confidentiality should be maintained)
- Establish a protocol for visitors: calling the front office before entering, screening visitors, requesting use of face coverings/masks, etc. Restrict nonessential visitors and volunteers.
- Establish a protocol for student pick/drop up: staggered entry and release (by grade, class, or bus numbers), marked spacing for pickup

District/School Considerations:

- Implement standard operating procedures while taking preventative measures such as:
 - Provide hand sanitizer for students and staff
 - Limit unnecessary congregations of students and staff
 - Post signage in classrooms, hallways, and entrances to communicate how to stop the spread. COVID-19 symptoms, preventative measures (including staying home when sick), good hygiene, and school/district specific protocols
 - Establish a protocol for students/staff who feel ill/experience symptoms when they come to school (see When a Child, Staff Member, or Visitor Becomes Sick at School)
 - Northwestern R-I will limit the number of guests in the building. We ask that all outside visitors please call ahead before coming to the school

American Health Care Association

COVID-19 Screening Checklist for Visitors

Level of Community Spread (as determined by state and local health officials)	Substantial Spread RECOMMENDATIONS	Minimal/Moderate Spread RECOMMENDATIONS	Low/No Spread RECOMMENDATIONS
Serving Meals	School buildings are closed. District/School Considerations: Practice established social distancing protocols to the greatest extent practicable Provide PPE to participating staff Food service will be provided to students in need throughout the closure Distribute printed instructional packets/ materials and district/school communications along with meals	 District/School Considerations: Allow student hand washing before and after meal service Provide hand sanitizer for students and staff Use disposable plates, utensils, etc. Mark spaced lines to enter the cafeteria and serving lines (to the extent practicable); designate entrances and exit flow paths; stagger use Conduct cleaning of cafeterias and high-touch surfaces throughout the school day Alternative Serving Models: (Serving methods are subject to change depending on current situation) Serving meals in classrooms Serving meals in cafeterias with: 	District/School Considerations: ■ Implement standard operating procedures while taking preventative measures such as: □ Providing hand sanitizer for students and staff □ Allowing students and staff □ Allowing students and staff to wear face masks/coverings while in large group gatherings □ Conducting cleaning of cafeterias and high-touch surfaces throughout the school day □ Students will remain with their grade level and distanced from other grade levels while waiting in line for food and while seated at the lunch tables.
Transitioning	School buildings are closed.	District/School Considerations: Limit mixing between groups (to the extent practicable) For class changes and other transitions throughout the school day: Provide additional time for transitions (utilizing state seat time waiver to extend transition period) Designate areas of the hallway (i.e. lanes) as flow paths to keep students separated students to minimize congregation of students Plan staggered class (ex: by hall, odd/even room numbers, grade/ discipline) changes to decrease number of students in hallways at one time	● Implement standard operating procedures while taking preventative measures such as: ○ Allowing students and staff to wear face masks/coverings while in large group gatherings ○ Conducting cleaning of hallways and high-touch surfaces throughout the school day ○ Designating areas of the hallway (i.e. lanes) to walk to keep students separated (to the extent practicable)

Level of Community Spread (as determined by state and local health officials)	Substantial Spread RECOMMENDATIONS	Minimal/Moderate Spread RECOMMENDATIONS	Low/No Spread RECOMMENDATIONS
Conducting Large Group Gatherings	School buildings are closed. Abide by the maximum number of people allowed to congregate as defined by the Governor's current statewide Executive Order	District/School Considerations:	District/School Considerations: ■ Implement standard operating procedures while taking preventative measures such as: ○ Providing hand sanitizer for students and staff ○ Allowing students and staff to wear face masks/coverings ○ Limiting unnecessary congregations of students and staff ○ Follow Missouri State High School Athletics Association guidelines for sporting events and practices
Supporting Teaching and Learning	School buildings are closed. District/School Considerations: Implement a robust Distance Learning Plan Distribute printed instructional packets/ materials and district/school communications along with meals; designate and communicate collection/drop off points Northwestern R-I Schools will use the Alternative Methods of Instruction, which will be developed. Educator's Guide to Safe and Effective Video Conferencing (Education Week)	Traditional Instructional Model Schools can deliver traditional instruction under Minimal/Moderate Spread by implementing the recommendations outlined in this guidance. District or school-wide distance/remote learning is allowable and a local decision. Use the master schedule to balance class numbers as much as possible — remove unused desks and furniture in classrooms; maximize social distancing (to the extent practicable) Limit physical interaction through partner or group work Establish distance between the teacher's desk/board and students' desks Identify and utilize large spaces (i.e. gymnasiums, auditoriums, outside spaces — as weather permits) for social distancing Establish and implement appropriate accommodations for children with disabilities with respect to health and safety policies. Communicate with healthcare providers for guidance School nurse implements and monitors mitigation plans	 District/School Considerations: Implement standard operating procedures while taking preventative measures such as:

Level of Community Spread (as determined by state and local health officials)
Supporting
Teaching and
Learning (cont.)

Substantial Spread

RECOMMENDATIONS

Professional Learning for Teachers

- Making the Shift to
 Online Teaching and
 Learning
- <u>Supporting Students</u> <u>with Disabilities</u> Online

American School Counselor Association

• School Counseling
During COVID-19:
Online Lessons and
Resources

School Library Media Specialists

- School Media
 Specialists Can Help
 During Crisis (School
 Library Journal)
- <u>Digital Resource</u> Ideas (GLMA)

Minimal/Moderate Spread

RECOMMENDATIONS

- Targeted Distance/Remote Learning
 - O Elementary Face-to-Face with
 Secondary Distance Learning:
 Prioritize 6-12 or 9-12 for
 continuous distance learning while
 other students have access to faceto- face instruction spread out across
 unused schools and classrooms;
 using certification flexibility to
 relocate teachers as needed and
 allowable; see Serving Meals under
 Substantial Spread for
 preparing/delivering school meals
 for students who are remote
 learning.

Low/No Spread

RECOMMENDATIONS

- Target interventions and supports:
 - Provide additional instructional supports to:
 - students at-risk of not graduating on time
 - students with disabilities (compensatory services)
 - students who struggled in the prior distance/remote learning environment (i.e. early grades, English Learners, etc.)
 - other students identified as being behind academically by teachers and parents.
 - Identify essential concepts/skills grade levels and provide access to enrichment (fine arts, music, world language, CTAE, computer science, AP/IB, dual enrollment, physical education/play, STEM/STEAM, etc.)
- Address learning loss:
 - Provide extended learning opportunities through before/after school programs, Saturday school, etc.
- Prepare for potential future distance/remote learning by increasing current blended learning:
 - Develop a digital learning plan
 - Integrate virtual learning practices:
 - digitizing lessons
 - requiring a certain number of online assignments for each grading period
 - Provide virtual learning-specific professional learning for educators:
 - Schedule specific planned district-/school-wide digital learning days as part of the traditional school calendar

Return to School

Roadmap for <u>School Operations</u> and <u>Instruction</u>

Level of Community Spread (as determined by state and local health officials)

Substantial Spread RECOMMENDATIONS

RECOMMENDATIONS

Minimal/Moderate Spread

Low/No Spread

RECOMMENDATIONS

Protecting Vulnerable Populations¹



¹ Vulnerable Populations -- Elderly individuals and/or individuals with serious underlying health conditions, including high blood pressure, chronic lung disease, diabetes, obesity, asthma, and those whose immune system is compromised such as by chemotherapy for cancer and other conditions requiring such therapy.

School buildings are closed.

See *Entering School Buildings* for district/school staff guidance.

District/School Considerations:

 Recruit additional nurses, health care aides, and full- time substitute employees

National Association of School Nurses

 Role of school nurses, providing care, and participating in return to school planning

District/School Considerations:

- Offer vaccinations for educators, staff, students and eligible employees.
 - Supervised and implemented by the County Health Department
- Survey at-risk staff members to gauge their intentions in returning to work while maintaining confidentiality consistent with the Americans with Disabilities Act (ADA) and other applicable federal and state privacy laws
- Survey families with vulnerable children to gauge their intentions in returning to a traditional school setting while maintaining confidentiality consistent with the Americans with Disabilities Act (ADA) and other applicable federal and state privacy laws
- Provide remote/distance learning opportunities for vulnerable student populations in consultation with parents and public health officials
- Consult with local board attorneys and district human resources officials to offer special accommodations (such as an alternative teaching assignment) for personnel who are members of vulnerable populations
- Adhere to FERPA and HIPPA requirements
- Adhere to state and federal employment law and extended

District/School Considerations:

- Offer vaccinations for educators, staff, students and eligible employees.
 - Supervised and implemented by the County Health Department
- Implement standard operating procedures while taking preventative measures such as:
 - Establish a point-of-contact with the local health department
 - o Identify local COVID-19 testing sites
 - Provide hand sanitizer for students and staff
 - Provide PPE to vulnerable students and staff as appropriate
 - Allow medically vulnerable students to complete their coursework virtually
 - Allow vulnerable students and staff to wear PPE throughout the school day (to the extent practicable)
 - Establish a process for regular check- ins with vulnerable students and staff
 - Allow an early transition for vulnerable students to go to classes
 - Limit large group gatherings/ Interactions for vulnerable students and staff

When a Child, Staff Member, or Visitor Becomes Sick at School



District/School Considerations:

- Work with school administrators, school nurses, and other healthcare providers to identify an isolation room or area to separate anyone who exhibits COVID-like symptoms.
- School nurses and other healthcare providers should use *Standard and Transmission-Based Precautions* when caring for sick people. See: *What Healthcare Personnel Should Know About Caring for Patients with Confirmed or Possible COVID19 Infection*
- Establish procedures for safely transporting anyone who is sick home or to a healthcare facility.
- Notify local health officials, staff, and families immediately of a possible case while maintaining confidentiality consistent with the Americans with Disabilities Act (ADA) and other applicable federal and state privacy laws.
- Close off areas used by a sick person and do not use before cleaning and disinfection. Wait 24 hours before you clean and disinfect. If it is not possible to wait 24 hours, wait as long as possible. Ensure safe and correct application of disinfectants and keep disinfectant products away from children.
- Advise sick staff members and children not to return until they have met state DPH criteria to discontinue home isolation
- Inform those who have had close contact to a person diagnosed with COVID-19 to stay home and follow state DPH guidance if symptoms develop. If a person does not have symptoms, follow appropriate state DPH guidance for home quarantine.

CDC Guidance

- Symptoms of Coronavirus
- What Healthcare Personnel Should Know About Caring for Patients with Confirmed or Possible COVID-19 Infection
- Standard Precautions
- Transmission-based Precautions

For additional information, go to:

Department of Public Health

The Northwestern R-I plan is an adaptation of Georgia's Path to Recovery for K-12 Schools Considerations and Recommendations for Georgia's Schools Georgia Department of Education and Georgia Department of Public Health		